

Boom Lift License Tukwila

Boom Lift License Tukwila - To be able to operate an aerial boom lift, operators must be qualified through training which could be attained using both classroom sessions and practical training and by obtaining a boom lift license. Instruction must be given with respect to the kind of aerial lift which will be utilized on the job. A License is needed for any person who operates or works on an aerial boom lift.

Vehicle-mounted aerial devices consist of the following work vehicles: extensible boom platforms, aerial ladders, vertical towers, articulating boom platforms, and whatever combination of these types.

There are some basic safety regulations that apply to all boom lifts. Worker safety while within the basket is a main concern. Workers should wear a body harness and lanyard attached to the boom or basket. Never tie off to an adjacent pole, structure, or equipment. Personnel should stand on the basket floor, and never sit or climb on the edge of the basket. The manufacturer's load limitations should be adhered to.

Aerial lift operators must be authorized to make use of the equipment. The operator should be familiar with all the aspects of the device and should have access to the manufacturers guidebook which must be kept within the lift. Operators are responsible for making certain that safety procedures are followed in the operation of the lift. Testing lift controls on a daily basis must be carried out. Position outriggers and set brakes (if they are utilized) on pads or a stable surface. When working on a slope, utilize wheel chocks.

Never move an aerial lift truck with an elevated boom while personnel are within the basket. Extensible boom platforms and articulating boom utilized as employees carriers must have accessible, plainly marked, upper controls. Except for in emergency situations, lower controls should not be utilized to override upper controls unless the individual within the lift gives authorization.

Do not wear tree or pole climbers shall while working from an aerial lift.

Do not alter the insulated part of the aerial lift.

Make certain that the booms are thoroughly inspected, that the machinery is properly cradled and the outriggers are in the stowed position before moving.

When operating a boom lift next to power lines, ensure the lines are di-electrically tested based on local rules.